

Summary of selected historical drill core assays.

Drill Hole	*Interval (m)	Width (m)	Au (g/t)
DDH 02-02	30.5 – 42.5	12	3.28
including	41.0 – 42.5	1.5	23.17
DDH 02-03	57.5 – 59.0	1.5	1.28
and	162.5 – 236.0	73.5	1.05
including	177.5 – 192.5	15	2.08
Including	179.0 – 180.5	1.5	5.05
TM03-11	12.0 – 13.5	1.5	1.2
and	51.0 – 91.5	40.5	1.27
including	63.0 – 67.5	1.5	7.31
including	66.0 – 67.5	1.5	19.76
TM-04-01	64.5 – 70.5	6	2.76

Drill Hole	*Interval (m)	Width (m)	Au (g/t)
and	81.0 – 84.0	3	3.06
including	81.0 – 82.5	1.5	5.64
TM-04-02	42.0 – 43.5	1.5	546.8
and	69.0 – 85.5	16.5	1.73
including	84.0 – 85.5	1.5	13.73
TM-04-03	33.0 – 34.5	1.5	2.47
and	64.5 – 84.0	19.5	47.22
including	73.5 – 75.0	1.5	588.89
including	75.0 – 76.5	1.5	19.12
TM-04-06	132.0 – 133.5	1.5	3.26
and	133.5 – 135.0	1.5	164.69
and	135.0 – 138.0	3	1.17
TM-04-09	51.0 – 52.5	1.5	1.26
and	171.0 – 232.5	61.5	2.4
including	177.0 – 184.5	7.5	4.17
including	195.0 – 214.5	19.5	3.41
including	222.0 – 232.5	10.5	3.21
TM-04-12	246.0 – 289.5	43.5	1.02
including	271.5 – 282.0	10.5	2.07
TM-04-15	64.5 – 81.0	16.5	3.89
including	70.5 – 72.0	1.5	34.46
and	273.0 – 274.5	1.5	1.01
TM-04-16	117.0 – 120.0	3	3.29
including	103.5 – 106.5	3	1.32
TM-04-19	43.5 – 78.0	34.5	1.25
including	46.5 – 48.0	1.5	15.76
including	64.5 – 67.5	3	2.12
and	90.0 – 96.0	6	3.13
TM-04-22	183.0 – 193.5	10.5	3.25
TM-04-24	246.0 – 250.5	4.5	1.06
and	264.0 – 270.0	6	1.5
and	298.5 – 334.5	36	1.02
including	298.5 – 300.0	1.5	9.35
including	304.5 – 324.0	19.5	1.89
including	333.0 – 334.5	1.5	1.14
and	30.0 – 34.5	4.5	7.5
and	208.5 – 211.5	3	3.96
TM-04-36	43.5 – 48.0	4.5	1.77
and	54.0 – 57.0	3	25.23
including	54.0 – 55.5	1.5	50.03
and	75.0 – 78.0	3	3.87

Drill Hole	*Interval (m)	Width (m)	Au (g/t)
and	222.0 – 223.5	1.5	1.24
TM-05-38	16.5 – 24.0	7.5	5
including	18.0 – 19.5	1.5	16
TM-11-62	152 - 225.5	73.5	0.82
including	168.5 - 189.5	21	1.76
including	180.5 – 188	7.5	3.44
TM-11-63	180.5 - 185	4.5	4.93
and	228.5 - 239	10.5	0.36
and	302 - 312.5	10.5	0.41
and	356 - 365	9	1.75
TM-11-67	14 - 101	87	0.98
TM-11-75	20 - 30.5	10.5	0.58
and	38 - 65	27	2.01
and	80 - 93.5	13.5	0.56
and	104 - 114.5	10.5	0.32
TM-11-84	6.5 - 21.5	15	0.44
and	63.5 - 65	1.5	1.1
and	71 - 116	45	1.01
including	71 - 78.5	7.5	2.43
and	81.5 - 95	13.5	0.85
and	104 - 110	6	1.93

*intervals are not indicative of true widths